Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	710	(713/150).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:25
L2	372	(713/160).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:25
L3	610	(380/37).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:25
L4	2	"20050060539"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:26
L5	8	(method with cloak\$ with encrypt\$ with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:54
L6	5	(method with cloak\$ with encrypt\$ with data).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:27
L7	2	(method with cloak\$ with encrypt\$ with data).clm. and anspach	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:30
L8	. 4	encapsul\$ with serial with data with stream with encrypt\$ with IP with packets	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/11/08 21:32
L9	2	cloak\$ with encrypt\$ with data with IP with packets with ISDN with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:33

			•			
L10	27	IP with packets with transmitt\$ with satellite with terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:34
Ļ11 .	3	(IP with packets with transmitt\$ with satellite with terminal).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:34
L12	16	(encrypt\$ with data with using with Type with encrypt\$ with unit).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:35
L13	2	(Type with encrypt\$ with unit with KIV with type with encrypt\$).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:36
L15	2	(cloak\$ with encrypt\$ with data with serial with stream with encrypt\$ with Voice with IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:39
L16	379	(serial with data with stream with synchronous with serial with stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:39
L17	57	(serial with data with stream with synchronous with serial with stream).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:40
L18	1	(synchronous with serial with data with stream with RS-530 with data with stream).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:41
L19	2	(combining with data with two with voice with serial with data with stream with encapsulation).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:42
L20	2	(encapsul\$ with serial with data with stream with encrypt\$ with data with IP with packets).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:43

			-			
L21	. 1	(cloaking with encrypt\$ with data with deployable with secure with communication with terminal).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:44
L22	2	(combining with two with voice with sources with serial with data with stream with encapsulating).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:46
L23	26	(recei\$ with voice with stream with telephone with device).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:46
L27	3	(router with adapted with receive with voip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:48
L30	1	(encrypt\$ with ip with packets with serial with data with public with ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:52
L31	. 2	(encrypt\$ with ip with packet\$ with serial with data with public with ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:53
L32	9	(encrypt\$ with ip with packet\$ with serial with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:56
L33	2	(encrypt\$ with ip with packet\$ with serial with data) and ("713"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:53
L34	1	(encrypt\$ with ip with packet\$ with serial with data) and ("380"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:53
L36	2	(method with cloak\$ with encrypt\$ with data) and ("713"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:54

L39	3	(method with cloak\$ with encrypt\$ with data) and ("380"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:55
L41	4	(encrypt\$ with ip with packet\$ with serial with data) and cloak\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:57
L42	4	(method with cloak\$ with encrypt\$ with serial with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR [*]	OFF	2007/11/08 21:57
L43		(method with cloak\$ with encrypt\$ with serial with data).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:57
L44	117	(encrypt\$ with serial with data).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:58
L45	2	(cloak\$ with encrypt\$ with serial with data).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:58
L46	. 1	(cloak\$ with encrypt\$ with serial with data) and ("713"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 21:58